

7006



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

**RBST2812-P-13**  
**Job Sheet 182153**



10-11

1-5 #26  
9-00

015

Part No: RBST2812-P-13

Job Qty: 10

Part Name: Receiver



Part Weight: 0 lbs

Status: Scheduled

Priority: High

Job Created: 8/19/18

Job Tracking No:

Due Date: 8/30/18 9-20

Created By: Logan David

Type: SOLD

Description:

Note: DWG RBST2800-P Rev. 1 IPP Rev. A 18.06.21 new issue DP Verify DD

Ship Via:

## Bill of Materials

## Job Routing

| Op No | Operation          | Qty   | Start Date | Due Date | Standard  |         | Workcenter/Supplier   |           | Sign-off      |
|-------|--------------------|-------|------------|----------|-----------|---------|-----------------------|-----------|---------------|
|       |                    |       |            |          | Setup hrs | Run Hrs | Workcenter / Supplier | Lead Time |               |
| 90    | Start up Operation | 6 Ea  | 8/30/18    | 8/30/18  | 0.00      | 0.00    | Start Up Machining-4  |           | JTB 18-10-26  |
| 110   | Mori Seiki         | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 1.50    | MORI SL-154           |           | JTB 18-10-26  |
| 120   | QC                 | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 0.00    | QC2                   |           | JTB 18-10-26  |
| 130   | QC                 | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 0.00    | QC8                   |           | JTB 18-10-31  |
| 150   | Outsource          | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 0.00    | Outsource12           |           | GA 18-11-14   |
| 160   | Packaging          | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 0.00    | Packaging2            |           | GA NOV 1 2018 |
| 170   | QC                 | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 0.00    | QC6                   |           | GA 18-11-14   |
| 180   | Packaging          | 6 pcs | 8/30/18    | 8/30/18  | 0.00      | 0.00    | Packaging3            |           | GA 18-11-14   |
| 210   | QC21-SA            | 6 Ea  | 8/30/18    | 8/30/18  | 0.00      | 0.00    |                       |           | GA 18-11-14   |

Part Op 110 - 1-Machine as per FOLIO FC 342 FOLIO REV: DWG REV: 2-Debur

Descriptions: 130 - Engrave T/N and/or P/N number using MARKTRONIC engraver as per DWG.

150 - Issue P/O to GROUPE ALTECH; PO 04549 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required

## Job BOM

| Part / Item      | Component Name    | Quantity           | Operation             | Container |
|------------------|-------------------|--------------------|-----------------------|-----------|
| MT-4140QT-R1.375 | MT-4140 QT-R1.375 | .6720 ft (.112 ea) | 90-Start up Operation |           |

## Job Allocations

| Operation             | Component Part   | Required | Inventory | Allocated |
|-----------------------|------------------|----------|-----------|-----------|
| 90-Start up Operation | MT-4140QT-R1.375 | 1        | 34        | 0         |



Container No: S121969



Part: RBST2812 - P - 13

Job No: 182153

Serial No/Batch: S121969

Revision: 1

Inspector:

Exp Date:

Instructions:

Date: 10/26/18

ifications

ld not be found.

Plex 9/6/18 8:50 AM dart.logan.david

2AG  
58  
88-0



101

101



This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS |                                                                                |         |         |          |
|-----------|--------------------------------------------------------------------------------|---------|---------|----------|
| REV       | DESCRIPTION                                                                    | DATE    | INITIAL | APPROVED |
| 1         | CH'D -13 DATUM TARGET DESIGNATIONS AND FEATURE CONTROL FRAMES. ADDED 2ND FLAT. | 7/26/12 | RJC     | SE       |



(-13)

RECEIVED

[illegible]

RED BARN MACHINE

TITLE RBST2800-P SERIES FOR BELL BEARINGS  
PORTABLE TRI-ROLLER SWAGING TOOL

|         |                              |     |   |
|---------|------------------------------|-----|---|
| DWG NO. | TOOL#(see chart)-13 RECIEVER | REV | 1 |
|---------|------------------------------|-----|---|

|                                                        |                  |                       |
|--------------------------------------------------------|------------------|-----------------------|
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES |                  | DRAWN BY: PERRITT     |
| TOLERANCES ON:                                         |                  | APPROVED <i>D Med</i> |
| DECIMALS                                               |                  | HEAT TREAT            |
| .XXX ± .005                                            | FRACTIONS ± 1/32 | FINISH                |
| .XX ± .01                                              | ANGLES ± 5°      | BLACK OXIDE           |
| .X ± .1                                                |                  | DATE                  |

|                                           |                 |
|-------------------------------------------|-----------------|
| UNLESS OTHERWISE SPECIFIED                | USED ON BEARING |
| 1. BREAK ALL SHARP EDGES                  | SEE CHART       |
| .015 x 45° PR .015 R                      |                 |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |                 |

|       |     |      |         |       |        |
|-------|-----|------|---------|-------|--------|
| SCALE | NTS | DATE | 11-9-09 | SHEET | 8 of 9 |
|-------|-----|------|---------|-------|--------|





RBST 2812-P-13

$\emptyset$  A  
 $\emptyset$  B  
 $\emptyset$  C  
 $\emptyset$  D  
E  
F  
G

DAS

62  
9-89

**Engineering Approval:**  
(If necessary)

| Rev | Date     | Change    |
|-----|----------|-----------|
| B   | 14.07.31 | New Issue |

Roller  
1001 Rec

Σ1-9-

©

26





Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041549**

**Supplier:** GRO002-VC  
Group Altech  
2455 Halpern  
St Laurent  
QC  
H4S 1N9 Canada  
Phone: 514-335-3666  
Fax: 514-335-3868

**PO No:** PO041549  
**PO Date:** 11/1/18  
**Due Date:** 11/11/18  
**Purchase Order**  
**Revision:**  
**Revision Date:**  
**Ship-To Contact:** Tsimiklis, Chrisoula

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground  
**Pynt Terms:** Net 60  
**Freight Terms:**  
**Special Comments:** Please confirm delivery date upon pricing

## **Items**

| Line Item | Job    | Part          | Description                                                                                                                                                                                                                                                                                                   | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 1         | 182153 | RBST2812-P-13 | Receiver<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 4140<br>-Certificate of Conformity is required | Firmed | -       | 11/9/18  | 10 pcs         | 0 pcs             | 10 pcs  | \$0.866/pcs      | \$8.66         |

10 X NOV 10 2018

*[Handwritten signature]*

DA  
38  
9-86

**Line Item Note** \*\* Need by Nov. 9, confirm if possible

*[Handwritten signature]*







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## PO041549

### Items

| Line Item | Job    | Part         | Description                                                                                                                                                                                                                                                                                                    | Status   | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 2         | 182157 | RBST2812-P-7 | Cap<br>-Issue P/O to GROUPE ALTECH;<br>PO _____<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-C-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 1018<br>-Certificate of Conformity is required | Firmed - |         | 11/8/18  | 10 pcs         | 0 pcs             | 10 pcs  | \$0.866/pcs      | \$8.66         |

10 X NOV 10 2018

Line Item Note \*\* Need by Nov. 9, confirm if possible

|   |        |            |                                                                                                                                         |          |  |         |       |       |       |            |        |
|---|--------|------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|--|---------|-------|-------|-------|------------|--------|
| 3 | 178485 | RBT18560-3 | Ring<br>-Issue P/O to Groupe Altech;<br>PO _____<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Certificate of Conformity is required | Firmed - |  | 11/9/18 | 7 pcs | 0 pcs | 7 pcs | \$1.35/pcs | \$9.45 |
|---|--------|------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|--|---------|-------|-------|-------|------------|--------|

7X NOV 10 2018







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041549**

## **Items**

| Line Item | Job    | Part            | Description                                                                                                                                                                                                                                                                                                              | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 4         | 184265 | RBE117-12020W17 | Mount<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 1144 Stress Proof<br>-Certificate of Conformity is required  | Firmed | -       | 11/9/18  | 8 pcs          | 0 pcs             | 8 pcs   | \$3.20/pcs       | \$25.60        |
| 5         | 185110 | RBE117-12020W18 | Pusher<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 1144 Stress Proof<br>-Certificate of Conformity is required | Firmed | -       | 11/9/18  | 4 pcs          | 0 pcs             | 4 pcs   | \$3.45/pcs       | \$13.80        |

8 X

NOV 10 2018

4 X

NOV 10 2018





Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041549**

## **Items**

| Line Item | Job    | Part          | Description                                                                                                                                                                                                                                                                                                            | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 6         | 184470 | RBT18700A-2   | Bolt Modified<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III<br>Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; Steel<br>-Certificate of Conformity is required | Firmed | -       | 11/9/18  | 12 pcs         | 0 pcs             | 12 pcs  | \$0.866/pcs      | \$10.39        |
| 7         | 182152 | RBST2812-P-11 | Dual Seat<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III<br>Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 4140<br>-Certificate of Conformity is required      | Firmed | -       | 11/9/18  | 11 pcs         | 0 pcs             | 11 pcs  | \$1.35/pcs       | \$14.85        |

Line Item Note \*\*Need for Nov. 11, confirm if doable\*\*







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041549**

## **Items**

| Line Item | Job    | Part         | Description                                                                                                                                                                                                                                                                                               | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 8         | 182158 | RBST2812-P-9 | Stud<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 4140<br>-Certificate of Conformity is required | Firmed | -       | 11/9/18  | 10 pcs         | 0 pcs             | 10 pcs  | \$0.866/pcs      | \$8.66         |

10 X NOV 10 2018

*[Signature]*

Line Item Note \*\*Need for Nov. 11, confirm if doable\*\*

|   |        |               |                                                                                                                                                                                                                                                                                                                |        |   |         |        |       |        |             |        |
|---|--------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---|---------|--------|-------|--------|-------------|--------|
| 9 | 182154 | RBST2812-P-15 | Tensioner<br>-Issue P/O to GROUPE ALTECH;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess.<br>-Material type; 4140<br>-Certificate of Conformity is required | Firmed | - | 11/9/18 | 10 pcs | 0 pcs | 10 pcs | \$0.867/pcs | \$8.67 |
|---|--------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---|---------|--------|-------|--------|-------------|--------|

10 X NOV 10 2018

*[Signature]*

Line Item Note \*\*Need for Nov. 11, confirm if doable\*\*







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041549**

## **Items**

| Line Item | Job    | Part                 | Description                                                                                                                       | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 10        | 177797 | RBEM652V3002101-M-27 | Stud<br>-Issue P/O to Groupe Altech;<br>PO<br>-Black oxide finish, MIL-C-13924C Class 1<br>-Certificate of Conformity is required | Firmed | -       | 11/9/18  | 13 pcs         | 0 pcs             | 13 pcs  | \$0.866/pcs      | \$11.26        |

13X NOV 10 2018

Line Item Note \*\*Need for Nov. 11, confirm if doable\*\*

Grand Total: \$120.00

## **Order Notes**

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)

A022 Apical Processing  
A024 process certifications  
A026 certification of material conformance

A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 11/5/18 10:32 AM dart.tsimiklis.chrisoula







# Certificat de Conformité / Certificate of Compliance

(014102-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9  
 Tel: 514-335-3666 Fax: 514-335-3868  
 www.groupaltech.com

## Bon de Livraison / Packing Slip

### 014102-1

Livré à / Ship to

### DART AEROSPACE LTD

1270 ABERDEEN STREET  
 HAWKESBURY, ON, K6A1K7  
 CANADA  
 Tel.: 613-632-5200 Fax.:

Client / Customer:

### DART AEROSPACE LTD

1270 ABERDEEN STREET  
 HAWKESBURY, ON, K6A1K7  
 CANADA  
 BUYER:

| Date expédition<br>Ship date |                                                                            | Créé Par<br>Generated By                                                                                                                                | Transport / No de Compte<br>Courier / Acc. No. | Bon de commande Client<br>Customer Purchase Order No. |                 |                   |               |                        |
|------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------------|-----------------|-------------------|---------------|------------------------|
| 09-Nov-2018                  |                                                                            | Aman                                                                                                                                                    |                                                | 041549                                                |                 |                   |               |                        |
| #Ligne<br>Line#              | No. de Série / # Pièce<br>Part Number / Line Item Details<br>Job # / Ref # | Description pièce(s)                                                                                                                                    | CATG.<br>U/M                                   | Comm.<br>/Ordered                                     | Exp/<br>Shipped | Qté NC/<br>NC Qty | Qté<br>Scrap/ | À venir/<br>Back Order |
| 1                            | RBST2812-P-13<br>Rev. ✓                                                    | RBST2812-P-13<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS   | OXIDE-BLACK<br>CH                              | 10                                                    | 10 ✓            | 0                 | 0             | 0                      |
| 2                            | RBST2812-P-7<br>Rev. ✓                                                     | RBST2812-P-7<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS    | OXIDE-BLACK<br>CH                              | 10                                                    | 10 ✓            | 0                 | 0             | 0                      |
| 3                            | RBT18560-3<br>Rev. ✓                                                       | RBT18560-11<br>BLACK OXIDE FINISH MIL-C-13924C CLASS 1                                                                                                  | OXIDE-BLACK<br>CH                              | 7                                                     | 7 ✓             | 0                 | 0             | 0                      |
| 4                            | RBE117-12020W17<br>Rev. ✓                                                  | RBE117-12020W17<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS | OXIDE-BLACK<br>CH                              | 8                                                     | 8 ✓             | 0                 | 0             | 0                      |
| 5                            | RBE117-12020W18<br>Rev. ✓                                                  | RBE117-12020W18<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS | OXIDE-BLACK<br>CH                              | 4                                                     | 4 ✓             | 0                 | 0             | 0                      |
| 6                            | RBT18700A-2<br>Rev. ✓                                                      | RBT18700A-2<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY THIN LAYER OF OIL<br>MIL-PRF-16173 GRADE 3 CLASS 1            | OXIDE-BLACK<br>CH                              | 12                                                    | 12 ✓            | 0                 | 0             | 0                      |
| 7                            | RBST2812-P-11<br>Rev. ✓                                                    | RBST2812-P-11<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS   | OXIDE-BLACK<br>CH                              | 11                                                    | 11 ✓            | 0                 | 0             | 0                      |
| 8                            | RBST2812-P-9<br>Rev. ✓                                                     | RBST2812-P-9<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS    | OXIDE-BLACK<br>CH                              | 10                                                    | 10 ✓            | 0                 | 0             | 0                      |
| 9                            | RBST2812-P-15<br>Rev. ✓                                                    | RBST2812-P-15<br>01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL]<br>MIL-C-13924C CLASS 1<br>APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3<br>WIPE OFF EXCESS   | OXIDE-BLACK<br>CH                              | 10                                                    | 10 ✓            | 0                 | 0             | 0                      |

UAC  
38  
9-89







# Certificat de Conformité / Certificate of Compliance

(014102-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9  
 Tel: 514-335-3666 Fax: 514-335-3868  
 www.groupaltech.com

## Bon de Livraison / Packing Slip

**014102 - 1**

Livré à / Ship to

**DART AEROSPACE LTD**  
 1270 ABERDEEN STREET  
 HAWKESBURY, ON, K6A1K7  
 CANADA  
 Tel.: 613-632-5200 Fax.:

Client / Customer:

**DART AEROSPACE LTD**  
 1270 ABERDEEN STREET  
 HAWKESBURY, ON, K6A1K7  
 CANADA  
 BUYER:

|                              |                                                                           |                                                                 |                                                |                   |                                                       |                                             |               |                        |
|------------------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------|-------------------|-------------------------------------------------------|---------------------------------------------|---------------|------------------------|
| Date expédition<br>Ship date |                                                                           | Créé Par<br>Generated By                                        | Transport / No de Compte<br>Courier / Acc. No. |                   | Bon de commande Client<br>Customer Purchase Order No. |                                             |               |                        |
| 09-Nov-2018                  |                                                                           | Aman                                                            |                                                |                   | 041549                                                |                                             |               |                        |
| #Ligne<br>Line#              | No. de Série / # Pièce<br>Part Number /Line Item Details<br>Job # / Ref # | Description pièce(s)                                            | CATG.<br>U/M                                   | Comm.<br>/Ordered | Exp/<br>Shipped                                       | Quantités / Quantities<br>Qté NC/<br>NC Qty | Qté<br>Scrap/ | À venir/<br>Back Order |
| 10                           | RBEM652V3002101-M-27<br>Rev.                                              | RBEM652V3002101-M-27<br>BLACK OXIDE FINISH MIL-C-13924C CLASS 1 | OXIDE-BLACK<br><br>CH                          | 13                | 13                                                    | 0                                           | 0             | 0                      |

Notes Additionnelles / Additional Notes

Epaisseur réelle  
Actual Thickness

Inspecteur Qualité  
Quality Inspector

Réçu par  
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.  
 Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.  
 Our financial and legal responsibility will not be higher than the amount of invoice.

